Subject Index for Volume 44, *Materials Evaluation*

ASNT Constitution and Bylaws, No. 3, p 238

ASNT and You, Membership Dues—What They Do for, G. A. Rosier, No. 10, p 1196

ASNT: see also *American Society for Nondestructive Testing*

Acoustic Emission, Evaluation of Structural Integrity of Cables Using (NDT Solution), P. A. A. Laura, No. 1, p 38

Acoustic Emission, Evaluation of Intrinsic Stresses of a Shape-Memory Alloy by, R. S. Geng, No. 11, p 1340

Acoustic Microscopy, Defect Detection in Electronic Components Using Real-Time (NDT Solution), F. Agramonte Kessler, No. 6, p 626

Acoustic Microscopy, Quantitative Flaw Characterization with Scanning Laser, E. R. Generazio and D. J. Roth, No. 7, p 863

Acoustic Microscopy, Reliability of Void Detection in Structural Ceramics by Use of Scanning Laser, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762

Acoustic Properties by Use of Equivalent Multilayer Systems, Modeling of Material (Technical Note), B. G. Martin, No. 9, p 1139

Acoustic Waves, High-Resolution Holographic Techniques for Visualization of Surface, J. W. Wagner, No. 10, p 1238

Acoustic Waves, NDT Applications of Laser-Generated Focused, X. Maldague, P. Cielo, and C. K. Jen, No. 9, p 1120

Activities and Achievements of the Euratom Neutron Radiography Working Group, J. C. Domanus, No. 1, p 114

Advanced Ceramics, NDE of, S. J. Klima, No. 5, p 571

Advanced Composites, US Air Force Develops, No. 10, p 1208

Aerospace Structures, Inspection and Repair of Composite, J. H. Brahney, No. 13, p 1513

Air Force Develops Advanced Composites, US, No. 10, p 1208

Aircraft Structure, Reliable Nondestructive Testing: The Key to Using Weldments in Critical Fighter, R. J. Lord and P. J. Ramsey, No. 2, p 209

Aircraft Structures, High-X-Ray Flux, High-Contrast Radiography of Carbon Fiber-Reinforced Epoxy (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158

Aircraft, Coatings Used in Combat (Back to Basics), R. J. Lord and M. S. Ruesing, No. 9, p 1037

Aircraft, Supplemental Inspections of Aging, D. J. Hagemaier, P. R. Abelkis, and M. B. Harmon, No. 8, p 989

Alloy by Acoustic Emission, Evaluation of Intrinsic Stresses of a Shape-Memory, R. S. Geng, No. 11, p 1340

American Society for Nondestructive Testing, Code of Ethics for Members of the, No. 3, p 222

American Society for Nondestructive Testing, Facts on NDT and the, No. 3, p 224

American Society for Nondestructive Testing: see also *ASNT*

Analysis, Fault Tree—Two Case Histories, B. M. Strauss and D. G. Damin, No. 9, p 1132

Angle Ultrasonic Beams and Tip-Echo Times, Sizing of Planar Defects by Use of Double-, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125

Archives, The Preservation of NDT's Heritage: The NDT Community and Its, P. O. Moore, No. 13, p 1486

Attenuation Data Characterizes Changes in Material Microstructure, Scaling, E. R. Generazio, No. 2, p 198

Austenitic Nuclear Plant Components, Radiographic In-Service Inspection of Cast, M. E. Lapides, No. 1, p 108

Austenitic Steels, Improvement in Ultrasonic Examination of, B. Baligand, M. Grozellier, and D. Romy, No. 5, p 577

B-Scan Imaging, Corrosion/Erosion Detection Using (NDT Solution), G. P. Singh and G. Rutherford, No. 4, p 402

Basics of Liquid Penetrant Testing, The (Back to Basics), F. A. Iddings, No. 12, p 1364

Beams and Tip-Echo Times, Sizing of Planar Defects by Use of Double-Angle Ultrasonic, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125

Beginnings of Engineering Insurance and Inspection in Britain, The (NDT—The Yesteryears), B. G. Whalley, No. 6, p 628

Blades, Identifying Saw: A Good Application of Thermoelectric Sorting (Notes on Basics), R. W. Derby, No. 8, p 965

Britain, The Beginnings of Engineering Insurance and Inspection in (NDT—The Yesteryears), B. G. Whalley, No. 6, p 628

Built-Up Roof Inspection (Notes on Basics), S. A. Viaclovsky, No. 8, p 962

Bylaws, ASNT Constitution and, No. 3, p 238

Cables Using Acoustic Emission, Evaluation of Structural Integrity of (NDT Solution), P. A. A. Laura, No. 1, p 38

Calibration, Production and Sizing of Uniform Two-Dimensional Flaws in Welds for NDE, R. E. Schramm and T. A. Siewart, No. 9, p 1136

Carbon Fiber-Reinforced Epoxy Aircraft Structures, High-X-Ray Flux, High-Contrast Radiography of (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158

Cast Austenitic Nuclear Plant Components, Radiographic In-Service Inspection of, M. E. Lapides, No. 1, p 108

Castings, Computed Tomography Scanning for Location and Sizing of Cavities in Valve, P. D. Tonner and G. Tosello, No. 2, p 203

Ceramics (Part 1), Ultrasonic Characterization of Model Defects in: Voids in Glass—Theory and Practice, A. Stockman and P. S. Nicholson, No. 6, p 756

Ceramics and Their Green States, Dry-Coupled Ultrasonic Elasticity Measurements of Sintered, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859

Ceramics by Use of Scanning Laser Acoustic Microscopy, Reliability of Void Detection in Structural, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762

Ceramics, Holographic Techniques for the Nondestructive Evaluation of Structural, C. A. Sciammarella and D. S. Kupperman, No. 13, p 1551

Ceramics, NDE of Advanced, S. J. Klima, No. 5, p 571

Ceramics, Some Laser-Based Techniques for the Characterization of Sintered, P. Cielo, X. Maldague, S. Johar, and B. Lauzon, No. 6, p 770

Certification: A Perspective (1985 Mehl Honor Lecture; Plenary Lecture, 11th World Conference on Nondestructive Testing), C. Hellier, No. 4, p 412; erratum, No. 6, p 611

Characterization in Stainless Steel Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw, W. A. Simpson, Jr., No. 8, p 998

Characterization of Flaws in Sheets by Use of Thermal-Response Data, A Method for Quantitative, T. V. Baughn and D. B. Johnson, No. 7, p 850

Characterization of Materials, Photothermal Methods of Optical, J. C. Murphy and G. C. Wetsel, No. 10, p 1224

Characterization of Model Defects in Ceramics (Part 1), Ultrasonic: Voids in Glass—Theory and Practice, A. Stockman and P. S. Nicholson, No. 6, p 756

Characterization of Shielded Eddy Current Probes, R. T. Elsberry and D. M. Bailey, No. 8, p 984

Characterization of Sintered Ceramics, Some Laser-Based Techniques for the, P. Cielo, X. Maldague, S. Johar, and B. Lauzon, No. 6, p 770

Characterization with Scanning Laser Acoustic Microscopy, Quantitative Flaw, E. R. Generazio and D. J. Roth, No. 7, p 863

Circular Transducer, Stress Waves in Isotropic Elastic Plate Excited by, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455

Circumferential Magnetization of Tubes and the Measurement of Flux Density in Such Materials (Notes on Basics), R. K. Stanley, No. 8, p 966

Coatings Used in Combat Aircraft (Back to Basics), R. J. Lord

and M. S. Ruesing, No. 9, p 1037
Code of Ethics for Members of the American Society for Nondestructive Testing, No. 3, p 222
Cold-Working on the Refraction of Head Waves in Railroad Rail, Experimental Investigations of the Effect of, M. Najm and D. E. Bray, No. 4, p 463
Colorado School of Mines (Education Close-up), No. 2, p 169
Comparison of Laser and EMAT Techniques for Noncontact Ultrasonics, A, D. Hutchins, J. Hu, and K. Lundgren, No. 10, p 1244
Composite Aerospace Structures, Inspection and Repair of, J. H. Brahney, No. 13, p 1513
Composite Materials Demand Changes in Testing Strategies, New, No. 1, p 53
Composite Materials, NDE of Fiber-Reinforced—A Review, Y. Bar-Cohen, No. 4, p 446; erratum, No. 6, p 611; errata, No. 8, p 1011
Composites, US Air Force Develops Advanced, No. 10, p 1208
Computed Tomography Scanning for Location and Sizing of Cavities in Valve Castings, P. D. Tonner and G. Tosello, No. 2, p 203
Computed Tomography, No. 7, p 807
Computer Simulation of Ultrasonics in a Solid (Plenary Presentation, 11th World Conference on Nondestructive Testing), K. Harumi, No. 9, p 1086
Computer-Controlled Fluorescent Penetrant Processing and Viewing System, High Defect-Resolution Capability from a, C. H. Armstrong, No. 12, p 1426
Constitution and Bylaws, ASNT, No. 3, p 238
Continuing Education Units, ASNT Program for, No. 3, p 341
Contrast Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures, High-X-Ray Flux, High- (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
Corrosion/Erosion Detection Using B-Scan Imaging (NDT Solution), G. P. Singh and G. Rutherford, No. 4, p 402
Coupled Ultrasonic Elasticity Measurements of Sintered Ceramics and Their Green States, Dry-, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Crack Evaluation Using Focused Ultrasonic Probes, A Time-of-Flight Method for, L. Paradis, Y. Serruys, and R. Saglio, No. 5, p 568
Cracks, Ultrasonic Testing of Plates Containing Edge, J. H. Williams, Jr., H. Karagülle, and S. S. Lee, No. 1, p 100
Cylindrically Guided Wave Technique for Inspection of Studs in Power Plants (NDT Solution), G. M. Light, N. R. Joshi, and S.-N. Liu, No. 5, p 494
Deconvolution, Time-Domain: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in Stainless Steel Welds, W. A. Simpson, Jr., No. 8, p 998
Defect Detection in Electronic Components Using Real-Time Acoustic Microscopy (NDT Solution), F. Agramonte Kessler, No. 6, p 626
Defects Are for Real, F. H. Squires, No. 7, p 810
Defects, Experimental Analysis of Ultrasonic Responses from Artificial, G. J. Posakony, No. 13, p 1567
Destructive Testing, Resistivity Testing for Quality Control: Revived NDT Method Supplants, No. 9. p 1066
Difficulties of Radiographic Evaluation of Inconel Welds Joining Dissimilar Metals, R. W. Kruzic, No. 11, p 1336
Dodds and Nondestructive Testing in the Age of Invention, Ethan I. (NDT—The Yesteryears), P. O. Moore, No. 1, p 44
Double-Angle Ultrasonic Beams and Tip-Echo Times, Sizing of Planar Defects by Use of, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Dry Powder Magnetic Particle Examination of Painted Welds Using an AC Yoke (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156
Dry-Coupled Ultrasonic Elasticity Measurements of Sintered Ceramics and Their Green States, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
EMAT Techniques for Noncontact Ultrasonics, A Comparison of Laser and, D. Hutchins, J. Hu, and K. Lundgren, No. 10, p 1244
Echo Times, Sizing of Planar Defects by Use of Double-Angle Ultrasonic Beams and Tip-, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Economic Evaluation of Concurrent Welding and Nondestructive Testing, A. D. Watkins, J. A. Johnson, and H. B. Smart, No. 13, p 1510
Eddy Current Probes, Characterization of Shielded, R. T. Elsberry and D. M. Bailey, No. 8, p 984
Eddy Current: see also *Electromagnetic*
Edge Cracks, Ultrasonic Testing of Plates Containing, J. H. Williams, Jr., H. Karagülle, and S. S. Lee, No. 1, p 100
Education: see *Colorado, Mohawk, Ohio, Training*, and *Underwater*
Elastic Plate Excited by Circular Transducer, Stress Waves in Isotropic, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Elasticity Measurements of Sintered Ceramics and Their Green States, Dry-Coupled Ultrasonic, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Electromagnetic Inspection Technique for Pressure Tubes, The Remote-Field Through-Wall, D. L. Atherton and S. Sullivan, No. 13, p 1544
Electromagnetic: see also *Eddy Current, Flux Leakage*, and *Magnetic*
Electromagnetic-Acoustic Tranduction: see *EMAT*
Electronic Components Using Real-Time Acoustic Microscopy, Defect Detection in (NDT Solution), F. Agramonte Kessler, No. 6, p 626
Engineer at Large, The, J. A. Adam, A. H. Flax, and M. Golladay, No. 11, p 1274
Engineering Insurance and Inspection in Britain, The Beginnings of (NDT—The Yesteryears), B. G. Whalley, No. 6, p 628
Engines, Microfocus Radiography of Jet (NDT Solution), M. J. Bagnell and B. Kotzian, No. 13, p 1466
Engines, NDT of Jet: An Industry Survey, (Part One), No. 13, p 1477
Epoxy Aircraft Structures, High-X-Ray Flux, High-Contrast Radiography of Carbon Fiber-Reinforced (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
Erosion Detection Using B-Scan Imaging, Corrosion/ (NDT Solution), G. P. Singh and G. Rutherford, No. 4, p 402
Errata (for *NDE of Fiber-Reinforced Composite Materials—A Review*, Y. Bar-Cohen, No. 4, p 446), No. 6, p 611, and No. 8, p 1011
Erratum (for *Certification: A Perspective*, No. 4, p 412), No. 6, p 611
Erratum (for *Technique for Producing Test Plates with Fine Tight Cracks*, Vol. 43, No. 9, Aug. 1985, p 1044), R. W. Kruzic and C. N. Sherlock, No. 6, p 606
Ethan I. Dodds and Nondestructive Testing in the Age of Invention (NDT—The Yesteryears), P. O. Moore, No. 1, p 44
Ethics for Members of the American Society for Nondestructive Testing, Code of, No. 3, p 222
Euratom Neutron Radiography Working Group, Activities and Achievements of the, J. C. Domanus, No. 1, p 114
Evaluation of Indications in Thread Roots by Use of Magnetic Rubber Inspection (Notes on Basics), D. Wolf, J. Bednarski, and T. Ries, No. 8, p 962
Evaluation of Intrinsic Stresses of a Shape-Memory Alloy by Acoustic Emission, R. S. Geng, No. 11, p 1340
Evaluation of Structural Integrity of Cables Using Acoustic Emission (NDT Solution), P. A. A. Laura, No. 1, p 38
Experimental Analysis of Ultrasonic Responses from Artificial Defects, G. J. Posakony, No. 13, p 1567
Experimental Investigations of the Effect of Cold-Working on the Refraction of Head Waves in Railroad Rail, M. Najm and D. E. Bray, No. 4, p 463
Fabry-Pèrot Interferometer, Laser Ultrasonic Generation and Optical Detection with a Confocal, J.-P. Monchalin and R. Héon, No. 10, p 1231

Fault Tree Analysis—Two Case Histories, B. M. Strauss and D. G. Damin, No. 9, p 1132
Ferrous Heat Exchanger Tubing, Flux Leakage Examination of (NDT Solution), M. J. Bergander, No. 7, p 811
Fiber Optics in Medicine, A. Katzir, No. 11, p 1282
Fiber-Reinforced Composite Materials, NDE of—A Review, Y. Bar-Cohen, No. 4, p 446; erratum, No. 6, p 611; errata, No. 8, p 1011
Fiber-Reinforced Epoxy Aircraft Structures, High-X-Ray Flux, High-Contrast Radiography of Carbon (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
Field Through-Wall Electromagnetic Inspection Technique for Pressure Tubes, The Remote-, D. L. Atherton and S. Sullivan, No. 13, p 1544
Fighter Aircraft Structure, Reliable Nondestructive Testing: The Key to Using Weldments in Critical, R. J. Lord and P. J. Ramsey, No. 2, p 209
Film Radiographs, Image Processing for (NDT Solution), R. W. Englebart, No. 11, p 1293
Flaw Characterization in Stainless Steel Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic, W. A. Simpson, Jr., No. 8, p 998
Flaw Characterization with Scanning Laser Acoustic Microscopy, Quantitative, E. R. Generazio and D. J. Roth, No. 7, p 863
Flaws in Sheets by Use of Thermal-Response Data, A Method for Quantitative Characterization of, T. V. Baughn and D. B. Johnson, No. 7, p 850
Flaws in Welds for NDE Calibration, Production and Sizing of Uniform Two-Dimensional, R. E. Schramm and T. A. Siewart, No. 9, p 1136
Fluorescent Dye Penetrant Processes, Radiation Safety and Visual Enhancement in the, W. O. Holden, J. L. Rhoads-Roberts, and C. E. Moss, No. 12, p 1435
Fluorescent Penetrant Processing and Viewing System, High Defect-Resolution Capability from a Computer-Controlled, C. H. Armstrong, No. 12, p 1426
Flux Density in Such Materials, Circumferential Magnetization of Tubes and the Measurement of (Notes on Basics), R. K. Stanley, No. 8, p 966
Flux Leakage Examination of Ferrous Heat Exchanger Tubing (NDT Solution), M. J. Bergander, No. 7, p 811
Focused Acoustic Waves, NDT Applications of Laser-Generated, X. Maldague, P. Cielo, and C. K. Jen, No. 9, p 1120
Focused Ultrasonic Probes, A Time-of-Flight Method for Crack Evaluation Using, L. Paradis, Y. Serruys, and R. Saglio, No. 5, p 568
Foil Screens, Making the Most of Lead (Notes on Basics), E. R. Close, No. 8, p 964
Founder of Industrial Radiography: Personal Notes on Horace H. Lester, The (NDT—The Yesteryears), M. R. Norton, No. 4, p 408; see also *Horace H. Lester, Researcher* (Yesteryears Gallery), No. 11, p 1322
Generation and Detection of Ultrasonic Waves, Introduction to Special Issue on Optical, R. E. Green, Jr., No. 10, p 1222
Generation and Optical Detection with a Confocal Fabry-Pérot Interferometer, Laser Ultrasonic, J.-P. Monchalin and R. Héon, No. 10, p 1231
Glass—Theory and Practice, Ultrasonic Characterization of Model Defects in Ceramics (Part 1): Voids in, A. Stockman and P. S. Nicholson, No. 6, p 756
Green States, Dry-Coupled Ultrasonic Elasticity Measurements of Sintered Ceramics and Their, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Guided Wave Technique for Inspection of Studs in Power Plants, Cylindrically (NDT Solution), G. M. Light, N. R. Joshi, and S.-N. Liu, No. 5, p 494
Head Waves in Railroad Rail, Experimental Investigations of the Effect of Cold-Working on the Refraction of, M. Najm and D. E. Bray, No. 4, p 463
Heat Exchanger Tubing, Flux Leakage Examination of Ferrous (NDT Solution), M. J. Bergander, No. 7, p 811
Heat Exchangers, Material Selection, Fabrication, and Inspection of Refinery, J. I. Danis, No. 12, p 1409
Heritage, The Preservation of NDT's: The NDT Community and Its Archives, P. O. Moore, No. 13, p 1486
High Defect-Resolution Capability from a Computer-Controlled Fluorescent Penetrant Processing and Viewing System, C. H. Armstrong, No. 12, p 1426
High-Contrast Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures, High-X-Ray Flux (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
High-Resolution Holographic Techniques for Visualization of Surface Acoustic Waves, J. W. Wagner, No. 10, p 1238
High-X-Ray Flux, High-Contrast Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
History of Penetrants: The First 20 Years, 1941–61 (NDT—The Yesteryears), J. J. Flaherty, No. 12, p 1371
Holographic Techniques for Visualization of Surface Acoustic Waves, High-Resolution, J. W. Wagner, No. 10, p 1238
Holographic Techniques for the Nondestructive Evaluation of Structural Ceramics, C. A. Sciammarella and D. S. Kupperman, No. 13, p 1551
Identifying Saw Blades: A Good Application of Thermoelectric Sorting (Notes on Basics), R. W. Derby, No. 8, p 965
Image Processing for Film Radiographs (NDT Solution), R. W. Englebart, No. 11, p 1293
Imaging, Corrosion/Erosion Detection Using B-Scan (NDT Solution), G. P. Singh and G. Rutherford, No. 4, p 402
Improvement in Ultrasonic Examination of Austenitic Steels, B. Baligand, M. Grozellier, and D. Romy, No. 5, p 577
In-Service Inspection of Cast Austenitic Nuclear Plant Components, Radiographic, M. E. Lapides, No. 1, p 108
Inconel Welds Joining Dissimilar Metals, Difficulties of Radiographic Evaluation of, R. W. Kruzic, No. 11, p 1336
Industrial Leak Detection Equipment (Back to Basics), C. J. Easton, No. 4, p 389
Infrared: see *Thermal*
Inspection Proposals—A Regulatory View, B. Hemsworth, No. 8, p 1004
Inspection and Repair of Composite Aerospace Structures, J. H. Brahney, No. 13, p 1513
Insurance and Inspection in Britain, The Beginnings of Engineering (NDT—The Yesteryears), B. G. Whalley, No. 6, p 628
Interferometer, Laser Ultrasonic Generation and Optical Detection with a Confocal Fabry-Pérot, J.-P. Monchalin and R. Héon, No. 10, p 1231
Invention, Ethan I. Dodds and Nondestructive Testing in the Age of (NDT—The Yesteryears), P. O. Moore, No. 1, p 44
Isotropic Elastic Plate Excited by Circular Transducer, Stress Waves in, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Jet Engines, Microfocus Radiography of (NDT Solution), M. J. Bagnell and B. Kotzian, No. 13, p 1466
Jet Engines, NDT of: An Industry Survey (Part One), No. 13, p 1477
Laser Acoustic Microscopy, Quantitative Flaw Characterization with Scanning, E. R. Generazio and D. J. Roth, No. 7, p 863
Laser Acoustic Microscopy, Reliability of Void Detection in Structural Ceramics by Use of Scanning, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Laser Ultrasonic Generation and Optical Detection with a Confocal Fabry-Pérot Interferometer, J.-P. Monchalin and R. Héon, No. 10, p 1231
Laser and EMAT Techniques for Noncontact Ultrasonics, A Comparison of, D. Hutchins, J. Hu, and K. Lundgren, No. 10, p 1244
Laser-Based Techniques for the Characterization of Sintered Ceramics, Some, P. Cielo, X. Maldague, S. Johar, and B. Lauzon, No. 6, p 770
Laser-Generated Focused Acoustic Waves, NDT Applications

of, X. Maldague, P. Cielo, and C. K. Jen, No. 9, p 1120
Lead Foil Screens, Making the Most of (Notes on Basics), E. R. Close, No. 8, p 964
Leak Detection Equipment, Industrial (Back to Basics), C. J. Easton, No. 4, p 389
Lester, The Founder of Industrial Radiography: Personal Notes on Horace H. (NDT—The Yesteryears), M. R. Norton, No. 4, p 408; see also *Horace H. Lester, Researcher* (Yesteryears Gallery), No. 11, p 1322
Liquid Penetrant Testing, The Basics of (Back to Basics), F. A. Iddings, No. 12, p 1364
Liquid Penetrant: see also *Penetrant*
Location and Sizing of Cavities in Valve Castings, Computed Tomography Scanning for, P. D. Tonner and G. Tosello, No. 2, p 203
Look Ahead at Nondestructive Testing, A (Plenary Lecture, 11th World Conference on Nondestructive Testing), R. C. McMaster, No. 5, p 520
Magnetic Particle Examination of Painted Welds Using an AC Yoke, Dry Powder (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156
Magnetic Requirements for Oilfield Tubulars (Back to Basics), M. C. Moyer, No. 6, p 616
Magnetic: see also *Flux Leakage*
Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of, H. Kwun, No. 13, p 1560
Magnetization of Tubes and the Measurement of Flux Density in Such Materials, Circumferential (Notes on Basics), R. K. Stanley, No. 8, p 966
Making the Most of Lead Foil Screens (Notes on Basics), E. R. Close, No. 8, p 964
Management of Inspection Material Waste, J. T. Schmidt, No. 12, p 1430
Material Acoustic Properties by Use of Equivalent Multilayer Systems, Modeling of (Technical Note), B. G. Martin, No. 9, p 1139
Material Microstructure, Scaling Attenuation Data Characterizes Changes in, E. R. Generazio, No. 2, p 198
Material Selection, Fabrication, and Inspection of Refinery Heat Exchangers, J. I. Danis, No. 12, p 1409
Measurement of Flux Density in Such Materials, Circumferential Magnetization of Tubes and the (Notes on Basics), R. K. Stanley, No. 8, p 966
Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive, H. Kwun, No. 13, p 1560
Measurement of the Microstructure and Mechanical Properties of Steel, On-Line, J. F. Bussière, No. 5, p 560
Measurements and Detection of Near-Surface Defects, Ultrasonic Signal Processing for Thickness, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Measurements of Sintered Ceramics and Their Green States, Dry-Coupled Ultrasonic Elasticity, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Mechanical Properties of Steel, On-Line Measurement of the Microstructure and, J. F. Bussière, No. 5, p 560
Medicine, Fiber Optics in, A. Katzir, No. 11, p 1282
Membership Dues—What They Do for ASNT and You, G. A. Rosier, No. 10, p 1196
Method for Quantitative Characterization of Flaws in Sheets by Use of Thermal-Response Data, A, T. V. Baughn and D. B. Johnson, No. 7, p 850
Microfocus Radiography of Jet Engines (NDT Solution), M. J. Bagnell and B. Kotzian, No. 13, p 1466
Microscopy, Defect Detection in Electronic Components Using Real-Time Acoustic (NDT Solution), F. Agramonte Kessler, No. 6, p 626
Microscopy, Quantitative Flaw Characterization with Scanning Laser Acoustic, E. R. Generazio and D. J. Roth, No. 7, p 863
Microscopy, Reliability of Void Detection in Structural Ceramics by Use of Scanning Laser Acoustic, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Microstructure and Mechanical Properties of Steel, On-Line Measurement of the, J. F. Bussière, No. 5, p 560
Microstructure, Scaling Attenuation Data Characterizes Changes in Material, E. R. Generazio, No. 2, p 198
Model Defects in Ceramics (Part 1), Ultrasonic Characterization of: Voids in Glass—Theory and Practice, A. Stockman and P. S. Nicholson, No. 6, p 756
Modeling of Material Acoustic Properties by Use of Equivalent Multilayer Systems (Technical Note), B. G. Martin, No. 9, p 1139
Mohawk College of Applied Arts and Technology (Education Close-Up), T. Jones, No. 8, p 914
Multilayer Systems, Modeling of Material Acoustic Properties by Use of Equivalent (Technical Note), B. G. Martin, No. 9, p 1139
NDE Calibration, Production and Sizing of Uniform Two-Dimensional Flaws in Welds for, R. E. Schramm and T. A. Siewart, No. 9, p 1136
NDE Technicians, A Program for Training and Hiring (Back to Basics), D. W. Dunavant and D. F. Rosow, No. 11, p 1272
NDE of Advanced Ceramics, S. J. Klima, No. 5, p 571
NDE of Fiber-Reinforced Composite Materials—A Review, Y. Bar-Cohen, No. 4, p 446; erratum, No. 6, p 611; errata, No. 8, p 1011
NDE, NDI, and *NDT*: see also *Nondestructive*
NDT Afloat: The Development of Nondestructive Testing at Newport News Shipbuilding (NDT—The Yesteryears), L. K. Swan, No. 8, p 908
NDT Applications of Laser-Generated Focused Acoustic Waves, X. Maldague, P. Cielo, and C. K. Jen, No. 9, p 1120
NDT Community and Its Archives, The Preservation of NDT's Heritage: The, P. O. Moore, No. 13, p 1486
NDT Helps Productivity, P. Dick, No. 8, p 915
NDT Method Supplants Destructive Testing, Resistivity Testing for Quality Control: Revived, No. 9. p 1066
NDT Specifications and Standards, Commonly Used, No. 3, p 246
NDT of Jet Engines: An Industry Survey (Part One), No. 13, p 1477
NDT, Pursuing Personal Excellence in (Opinion Paper), G. E. Smith, No. 7, p 836
Near-Surface Defects, Ultrasonic Signal Processing for Thickness Measurements and Detection of, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Netherlands from 1982 to 1985, Nondestructive Testing in the (Plenary Presentation, 11th World Conference on Nondestructive Testing), G. M. van Dijk, No. 8, p 970
Neutron Radiography Working Group, Activities and Achievements of the Euratom, J. C. Domanus, No. 1, p 114
New Composite Materials Demand Changes in Testing Strategies, No. 1, p 53
New Information on Radiographic Equivalents (Back to Basics), Y. Nir-El, No. 13, p 1462
Newport News Shipbuilding, NDT Afloat: The Development of Nondestructive: see also *NDE, NDT*
Nondestructive Testing at (NDT—The Yesteryears), L. K. Swan, No. 8, p 908
Noncontact Ultrasonics, A Comparison of Laser and EMAT Techniques for, D. Hutchins, J. Hu, and K. Lundgren, No. 10, p 1244
Nondestructive Evaluation of Structural Ceramics, Holographic Techniques for the, C. A. Sciammarella and D. S. Kupperman, No. 13, p 1551
Nondestructive Inspection of Oilfield Tubular Products, Training for the, R. K. Stanley, No. 10, p 1132
Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A, H. Kwun, No. 13,

p 1560
Nondestructive Testing Fights Terrorism, J. P. Battema, No. 11, p 1304
Nondestructive Testing in the Age of Invention, Ethan I. Dodds and (NDT—The Yesteryears), P. O. Moore, No. 1, p 44
Nondestructive Testing in the Netherlands from 1982 to 1985 (Plenary Presentation, 11th World Conference on Nondestructive Testing), G. M. van Dijk, No. 8, p 970
Nondestructive Testing, A Look Ahead at (Plenary Lecture, 11th World Conference on Nondestructive Testing), R. C. McMaster, No. 5, p 520
Nondestructive Testing, Economic Evaluation of Concurrent Welding and, A. D. Watkins, J. A. Johnson, and H. B. Smart, No. 13, p 1510
Nondestructive Testing, Reliable: The Key to Using Weldments in Critical Fighter Aircraft Structure, R. J. Lord and P. J. Ramsey, No. 2, p 209
Nuclear Plant Components, Radiographic In-Service Inspection of Cast Austenitic, M. E. Lapides, No. 1, p 108
Nuclear: see *Regulatory*
Oceaneering, Underwater Inspection at College of, C. Swann, No. 4, p 424
Ohio State University (Education Close-up), No. 7, p 779
Oilfield Tubular Products, Training for the Nondestructive Inspection of, R. K. Stanley, No. 10, p 1192
Oilfield Tubulars, Magnetic Requirements for (Back to Basics), M. C. Moyer, No. 6, p 616
On-Line Measurement of the Microstructure and Mechanical Properties of Steel, J. F. Bussière, No. 5, p 560
Opaque Suspensions, Real-Time Radiography and Particle Dynamics in Optically, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Optical Characterization of Materials, Photothermal Methods of, J. C. Murphy and G. C. Wetsel, No. 10, p 1224
Optical Detection with a Confocal Fabry-Pérot Interferometer, Laser Ultrasonic Generation and, J.-P. Monchalin and R. Héon, No. 10, p 1231
Optical Generation and Detection of Ultrasonic Waves, Introduction to Special Issue on, R. E. Green, Jr., No. 10, p 1222
Optically Opaque Suspensions, Real-Time Radiography and Particle Dynamics in, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Optics in Medicine, Fiber, A. Katzir, No. 11, p 1282
Painted Welds Using an AC Yoke, Dry Powder Magnetic Particle Examination of (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156
Particle Dynamics in Optically Opaque Suspensions, Real-Time Radiography and, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Penetrant Inspection, Solutions to the Misuse and Abuse of Visible, W. E. Mooz and A. Swiatek, No. 12, p 1387
Penetrant Processes, Radiation Safety and Visual Enhancement in the Fluorescent Dye, W. O. Holden, J. L. Rhoads-Roberts, and C. E. Moss, No. 12, p 1435
Penetrant Processing and Viewing System, High Defect-Resolution Capability from a Computer-Controlled Fluorescent, C. H. Armstrong, No. 12, p 1426
Penetrant System Performance Check (Technical Note), A. Sherwin, No. 12, p 1443
Penetrant Testing, The Basics of Liquid (Back to Basics), F. A. Iddings, No. 12, p 1364
Penetrants, History of: The First 20 Years, 1941-61 (NDT—The Yesteryears), J. J. Flaherty, No. 12, p 1371
Performance Check, Penetrant System (Technical Note), A. Sherwin, No. 12, p 1443
Photothermal Methods of Optical Characterization of Materials, J. C. Murphy and G. C. Wetsel, No. 10, p 1224
Planar Defects by Use of Double-Angle Ultrasonic Beams and Tip-Echo Times, Sizing of, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Plate Excited by Circular Transducer. Stress Waves in Isotropic Elastic, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Plates Containing Edge Cracks, Ultrasonic Testing of, J. H. Williams, Jr., H. Karagülle, and S. S. Lee, No. 1, p 100
Powder Magnetic Particle Examination of Painted Welds Using an AC Yoke, Dry (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156
Power Plants, Cylindrically Guided Wave Technique for Inspection of Studs in (NDT Solution), G. M. Light, N. R. Joshi, and S.-N. Liu, No. 5, p 494
Preservation of NDT's Heritage, The: The NDT Community and Its Archives, P. O. Moore, No. 13, p 1486
Probes, Characterization of Shielded Eddy Current, R. T. Elsberry and D. M. Bailey, No. 8, p 984
Production and Sizing of Uniform Two-Dimensional Flaws in Welds for NDE Calibration, R. E. Schramm and T. A. Siewart, No. 9, p 1136
Productivity, NDT Helps, P. Dick, No. 8, p 915
Program for Training and Hiring NDE Technicians, A (Back to Basics), D. W. Dunavant and D. F. Rosow, No. 11, p 1272
Pursuing Personal Excellence in NDT (Opinion Paper), G. E. Smith, No. 7, p 836
Quality Control, Radiography in, S. A. Wenk, No. 2, p 154
Quality Control, Resistivity Testing for: Revived NDT Method Supplants Destructive Testing, No. 9. p 1066
Quantitative Characterization of Flaws in Sheets by Use of Thermal-Response Data, A Method for, T. V. Baughn and D. B. Johnson, No. 7, p 850
Quantitative Flaw Characterization with Scanning Laser Acoustic Microscopy, E. R. Generazio and D. J. Roth, No. 7, p 863
Radiation Interactions for Tomography (Back to Basics), A. S. Zolnay, No. 1, p 24
Radiation Safety and Visual Enhancement in the Fluorescent Dye Penetrant Processes, W. O. Holden, J. L. Rhoads-Roberts, and C. E. Moss, No. 12, p 1435
Radiographic Equivalents (Back to Basics), F. A. Iddings, No. 8, p 888
Radiographic Equivalents, New Information on (Back to Basics), Y. Nir-El, No. 13, p 1462
Radiographic Evaluation of Inconel Welds Joining Dissimilar Metals, Difficulties of, R. W. Kruzic, No. 11, p 1336
Radiographic In-Service Inspection of Cast Austenitic Nuclear Plant Components, M. E. Lapides, No. 1, p 108
Radiographs, Image Processing for Film (NDT Solution), R. W. Englebart, No. 11, p 1293
Radiography Working Group, Activities and Achievements of the Euratom Neutron, J. C. Domanus, No. 1, p 114
Radiography and Particle Dynamics in Optically Opaque Suspensions, Real-Time, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Radiography in Quality Control, S. A. Wenk, No. 2, p 154
Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures, High-X-Ray Flux, High-Contrast (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
Radiography of Jet Engines, Microfocus (NDT Solution), M. J. Bagnell and B. Kotzian, No. 13, p 1466
Radiography, Some Important Basics in (Back to Basics), E. J. Casanova, No. 2, p 151
Radiography, The Founder of Industrial: Personal Notes on Horace H. Lester (NDT—The Yesteryears), M. R. Norton, No. 4, p 408; see also *Horace H. Lester, Researcher* (Yesteryears Gallery), No. 11, p 1322
Rail, Experimental Investigations of the Effect of Cold-Working on the Refraction of Head Waves in Railroad, M. Najm and D. E. Bray, No. 4, p 463
Railroad Rail, Experimental Investigations of the Effect of Cold-Working on the Refraction of Head Waves in, M. Najm and D. E. Bray, No. 4, p 463
Real-Time Acoustic Microscopy, Defect Detection in Electronic Components Using (NDT Solution), F. Agramonte Kessler, No. 6, p 626

Real-Time Radiography and Particle Dynamics in Optically Opaque Suspensions, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Refinery Heat Exchangers, Material Selection, Fabrication, and Inspection of, J. I. Danis, No. 12, p 1409
Refraction of Head Waves in Railroad Rail, Experimental Investigations of the Effect of Cold-Working on the, M. Najm and D. E. Bray, No. 4, p 463
Regulatory View, Inspection Proposals—A, B. Hemsworth, No. 8, p 1004
Reliability of Void Detection in Structural Ceramics by Use of Scanning Laser Acoustic Microscopy, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Reliable Nondestructive Testing: The Key to Using Weldments in Critical Fighter Aircraft Structure, R. J. Lord and P. J. Ramsey, No. 2, p 209
Remote-Field Through-Wall Electromagnetic Inspection Technique for Pressure Tubes, The, D. L. Atherton and S. Sullivan, No. 13, p 1544
Repair of Composite Aerospace Structures, Inspection and, J. H. Brahney, No. 13, p 1513
Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of, H. Kwun, No. 13, p 1560
Resistivity Testing for Quality Control: Revived NDT Method Supplants Destructive Testing, No. 9. p 1066
Resolution Capability from a Computer-Controlled Fluorescent Penetrant Processing and Viewing System, High Defect-, C. H. Armstrong, No. 12, p 1426
Resolution Holographic Techniques for Visualization of Surface Acoustic Waves, High-, J. W. Wagner, No. 10, p 1238
Resolution for Ultrasonic Flaw Characterization in Stainless Steel Welds, Time-Domain Deconvolution: A New Technique to Improve, W. A. Simpson, Jr., No. 8, p 998
Roof Inspection, Built-Up (Notes on Basics), S. A. Viaclovsky, No. 8, p 962
Safety and Visual Enhancement in the Fluorescent Dye Penetrant Processes, Radiation, W. O. Holden, J. L. Rhoads-Roberts, and C. E. Moss, No. 12, p 1435
Saw Blades, Identifying: A Good Application of Thermoelectric Sorting (Notes on Basics), R. W. Derby, No. 8, p 965
Scaling Attenuation Data Characterizes Changes in Material Microstructure, E. R. Generazio, No. 2, p 198
Scanning Laser Acoustic Microscopy, Quantitative Flaw Characterization with, E. R. Generazio and D. J. Roth, No. 7, p 863
Scanning Laser Acoustic Microscopy, Reliability of Void Detection in Structural Ceramics by Use of, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Screens, Making the Most of Lead Foil (Notes on Basics), E. R. Close, No. 8, p 964
Shape-Memory Alloy by Acoustic Emission, Evaluation of Intrinsic Stresses of a, R. S. Geng, No. 11, p 1340
Sheets by Use of Thermal-Response Data, A Method for Quantitative Characterization of Flaws in, T. V. Baughn and D. B. Johnson, No. 7, p 850
Shielded Eddy Current Probes, Characterization of, R. T. Elsberry and D. M. Bailey, No. 8, p 984
Shipbuilding, NDT Afloat: The Development of Nondestructive Testing at Newport News (NDT—The Yesteryears), L. K. Swan, No. 8, p 908
Signal Processing for Thickness Measurements and Detection of Near-Surface Defects, Ultrasonic, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Simulation of Ultrasonics in a Solid, Computer (Plenary Presentation, 11th World Conference on Nondestructive Testing), K. Harumi, No. 9, p 1086
Sintered Ceramics and Their Green States, Dry-Coupled Ultrasonic Elasticity Measurements of, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Sintered Ceramics, Some Laser-Based Techniques for the Characterization of, P. Cielo, X. Maldague, S. Johar, and B. Lauzon, No. 6, p 770
Sizing of Cavities in Valve Castings, Computed Tomography Scanning for Location and, P. D. Tonner and G. Tosello, No. 2, p 203
Sizing of Planar Defects by Use of Double-Angle Ultrasonic Beams and Tip-Echo Times, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Sizing of Uniform Two-Dimensional Flaws in Welds for NDE Calibration, Production and, R. E. Schramm and T. A. Siewart, No. 9, p 1136
Solid, Computer Simulation of Ultrasonics in a (Plenary Presentation, 11th World Conference on Nondestructive Testing), K. Harumi, No. 9, p 1086
Solutions to the Misuse and Abuse of Visible Penetrant Inspection, W. E. Mooz and A. Swiatek, No. 12, p 1387
Some Important Basics in Radiography (Back to Basics), E. J. Casanova, No. 2, p 151
Some Laser-Based Techniques for the Characterization of Sintered Ceramics, P. Cielo, X. Maldague, S. Johar, and B. Lauzon, No. 6, p 770
Sorting, Identifying Saw Blades: A Good Application of Thermoelectric (Notes on Basics), R. W. Derby, No. 8, p 965
Specifications and Standards, Commonly Used NDT, No. 3, p 246
Stainless Steel Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in, W. A. Simpson, Jr., No. 8, p 998
Standards, Commonly Used NDT Specifications and, No. 3, p 246
Statue of Liberty, The: The Restoration in Retrospect, No. 8, p 891
Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk Stresses in Welded, H. Kwun, No. 13, p 1560
Steel Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in Stainless, W. A. Simpson, Jr., No. 8, p 998
Steel, On-Line Measurement of the Microstructure and Mechanical Properties of, J. F. Bussière, No. 5, p 560
Steels, Improvement in Ultrasonic Examination of Austenitic, B. Baligand, M. Grozellier, and D. Romy, No. 5, p 577
Stress Waves in Isotropic Elastic Plate Excited by Circular Transducer, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk, H. Kwun, No. 13, p 1560
Stresses of a Shape-Memory Alloy by Acoustic Emission, Evaluation of Intrinsic, R. S. Geng, No. 11, p 1340
Structural Ceramics by Use of Scanning Laser Acoustic Microscopy, Reliability of, Void Detection in, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Structural Ceramics, Holographic Techniques for the Nondestructive Evaluation of, C. A. Sciammarella and D. S. Kupperman, No. 13, p 1551
Studs in Power Plants, Cylindrically Guided Wave Technique for Inspection of (NDT Solution), G. M. Light, N. R. Joshi, and S.-N. Liu, No. 5, p 494
Supplemental Inspections of Aging Aircraft, D. J. Hagemaier, P. R. Abelkis, and M. B. Harmon, No. 8, p 989
Surface Acoustic Waves, High-Resolution Holographic Techniques for Visualization of, J. W. Wagner, No. 10, p 1238
Surface Defects, Ultrasonic Signal Processing for Thickness Measurements and Detection of Near-, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Suspensions, Real-Time Radiography and Particle Dynamics in Optically Opaque, L. A. Mondy, A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, No. 1, p 120
Technicians, A Program for Training and Hiring NDE (Back to Basics), D. W. Dunavant and D. F. Rosow, No. 11, p 1272

Terrorism, Nondestructive Testing Fights, J. P. Battema, No. 11, p 1304
Thermal-Response Data, A Method for Quantitative Characterization of Flaws in Sheets by Use of, T. V. Baughn and D. B. Johnson, No. 7, p 850
Thermoelectric Sorting, Identifying Saw Blades: A Good Application of (Notes on Basics), R. W. Derby, No. 8, p 965
Thickness Measurements and Detection of Near-Surface Defects, Ultrasonic Signal Processing for, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Through-Wall Electromagnetic Inspection Technique for Pressure Tubes, The Remote-Field, D. L. Atherton and S. Sullivan, No. 13, p 1544
Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in Stainless Steel Welds, W. A. Simpson, Jr., No. 8, p 998
Time-of-Flight Method for Crack Evaluation Using Focused Ultrasonic Probes, A, L. Paradis, Y. Serruys, and R. Saglio, No. 5, p 568
Times, Sizing of Planar Defects by Use of Double-Angle Ultrasonic Beams and Tip-Echo, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Tip-Echo Times, Sizing of Planar Defects by Use of Double-Angle Ultrasonic Beams and, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Tomography Scanning for Location and Sizing of Cavities in Valve Castings, Computed, P. D. Tonner and G. Tosello, No. 2, p 203
Tomography, Computed, No. 7, p 807
Tomography, Radiation Interactions for (Back to Basics), A. S. Zolnay, No. 1, p 24
Training and Hiring NDE Technicians, A Program for (Back to Basics), D. W. Dunavant and D. F. Rosow, No. 11, p 1272
Training for the Nondestructive Inspection of Oilfield Tubular Products, R. K. Stanley, No. 10, p 1192
Training: see also *Colorado, Mohawk, Ohio,* and *Underwater*
Transducer, Stress Waves in Isotropic Elastic Plate Excited by Circular, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Tree Analysis, Fault—Two Case Histories, B. M. Strauss and D. G. Damin, No. 9, p 1132
Tubes and the Measurement of Flux Density in Such Materials, Circumferential Magnetization of (Notes on Basics), R. K. Stanley, No. 8, p 966
Tubes, The Remote-Field Through-Wall Electromagnetic Inspection Technique for Pressure, D. L. Atherton and S. Sullivan, No. 13, p 1544
Tubing, Flux Leakage Examination of Ferrous Heat Exchanger (NDT Solution), M. J. Bergander, No. 7, p 811
Tubular Products, Training for the Nondestructive Inspection of Oilfield, R. K. Stanley, No. 10, p 1192
Tubulars, Magnetic Requirements for Oilfield (Back to Basics), M. C. Moyer, No. 6, p 616
US Air Force Develops Advanced Composites, No. 10, p 1208
Ultrasonic Beams and Tip-Echo Times, Sizing of Planar Defects by Use of Double-Angle, M. A. M. Mahmoud, G. A. Hewitt, and D. J. Burns, No. 9, p 1125
Ultrasonic Characterization of Model Defects in Ceramics (Part 1): Voids in Glass—Theory and Practice, A. Stockman and P. S. Nicholson, No. 6, p 756
Ultrasonic Elasticity Measurements of Sintered Ceramics and Their Green States, Dry-Coupled, M. P. Jones, G. V. Blessing, and C. R. Robbins, No. 7, p 859
Ultrasonic Examination of Austenitic Steels, Improvement in, B. Baligand, M. Grozellier, and D. Romy, No. 5, p 577
Ultrasonic Flaw Characterization in Stainless Steel Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for, W. A. Simpson, Jr., No. 8, p 998
Ultrasonic Generation and Optical Detection with a Confocal Fabry-Pérot Interferometer, Laser, J.-P. Monchalin and R. Héon, No. 10, p 1231
Ultrasonic Probes, A Time-of-Flight Method for Crack Evaluation Using Focused, L. Paradis, Y. Serruys, and R. Saglio, No. 5, p 568
Ultrasonic Responses from Artificial Defects, Experimental Analysis of, G. J. Posakony, No. 13, p 1567
Ultrasonic Signal Processing for Thickness Measurements and Detection of Near-Surface Defects, L. Paradis, Y. Serruys, and R. Saglio, No. 11, p 1344
Ultrasonic Testing of Plates Containing Edge Cracks, J. H. Williams, Jr., H. Karagülle, and S. S. Lee, No. 1, p 100
Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for, H. Kwun, No. 13, p 1560
Ultrasonic Waves, Introduction to Special Issue on Optical Generation and Detection of, R. E. Green, Jr., No. 10, p 1222
Ultrasonics in a Solid, Computer Simulation of (Plenary Presentation, 11th World Conference on Nondestructive Testing), K. Harumi, No. 9, p 1086
Ultrasonics, A Comparison of Laser and EMAT Techniques for Noncontact, D. Hutchins, J. Hu, and K. Lundgren, No. 10, p 1244
Ultraviolet: see *Fluorescent*
Underwater Inspection at College of Oceaneering, C. Swann, No. 4, p 424
Valve Castings, Computed Tomography Scanning for Location and Sizing of Cavities in, P. D. Tonner and G. Tosello, No. 2, p 203
Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced, H. Kwun, No. 13, p 1560
Viewing System, High Defect-Resolution Capability from a Computer-Controlled Fluorescent Penetrant Processing and, C. H. Armstrong, No. 12, p 1426
Visible Penetrant Inspection, Solutions to the Misuse and Abuse of, W. E. Mooz and A. Swiatek, No. 12, p 1387
Visual Enhancement in the Fluorescent Dye Penetrant Processes, Radiation Safety and, W. O. Holden, J. L. Rhoads-Roberts, and C. E. Moss, No. 12, p 1435
Visualization of Surface Acoustic Waves, High-Resolution Holographic Techniques for, J. W. Wagner, No. 10, p 1238
Void Detection in Structural Ceramics by Use of Scanning Laser Acoustic Microscopy, Reliability of, D. J. Roth, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, No. 6, p 762
Waste, Management of Inspection Material, J. T. Schmidt, No. 12, p 1430
Wave Technique for Inspection of Studs in Power Plants, Cylindrically Guided (NDT Solution), G. M. Light, N. R. Joshi, and S.-N. Liu, No. 5, p 494
Waves in Isotropic Elastic Plate Excited by Circular Transducer, Stress, H. Karagülle, J. H. Williams, Jr., and S. S. Lee, No. 4, p 455
Waves in Railroad Rail, Experimental Investigations of the Effect of Cold-Working on the Refraction of Head, M. Najm and D. E. Bray, No. 4, p 463
Waves, A Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic, H. Kwun, No. 13, p 1560
Waves, High-Resolution Holographic Techniques for Visualization of Surface Acoustic, J. W. Wagner, No. 10, p 1238
Waves, Introduction to Special Issue on Optical Generation and Detection of Ultrasonic, R. E. Green, Jr., No. 10, p 1222
Waves, NDT Applications of Laser-Generated Focused Acoustic, X. Maldague, P. Cielo, and C. K. Jen, No. 9, p 1120
Welded Steel Specimens by Use of Magnetically Induced Velocity Changes for Ultrasonic Waves, A Nondestructive Measurement of Residual Bulk Stresses in, H. Kwun, No. 13, p 1560
Welding and Nondestructive Testing, Economic Evaluation of Concurrent, A. D. Watkins, J. A. Johnson, and H. B. Smart,
Continued on page 1528

Author Index for Volume 44, *Materials Evaluation*

Abelkis, P. R. (see Hagemaier, D. J.), No. 8, p 989

Adam, J. A., A. H. Flax, and M. Golladay, *The Engineer at Large*, No. 11, p 1274

Agramonte Kessler, F.: see Kessler, F. Agramonte

Armstrong, C. H., *High Defect-Resolution Capability from a Computer-Controlled Fluorescent Penetrant Processing and Viewing System*, No. 12, p 1426

Atherton, D. L., and S. Sullivan, *Remote-Field Through-Wall Electromagnetic Inspection Technique for Pressure Tubes, The*, No. 13, p 1544

Baaklini, G. Y. (see Roth, D. J.), No. 6, p 762

Bagnell, M. J., and B. Kotzian, *Microfocus Radiography of Jet Engines* (NDT Solution), No. 13, p 1466

Bailey, D. M. (see Elsberry, R. T.), No. 8, p 984

Baligand, B., M. Grozellier, and D. Romy, *Improvement in Ultrasonic Examination of Austenitic Steels*, No. 5, p 577

Bar-Cohen, Y., *NDE of Fiber-Reinforced Composite Materials—A Review*, No. 4, p 446; erratum, No. 6, p 611; errata, No. 8, p 1011

Battema, J. P., *Nondestructive Testing Fights Terrorism*, No. 11, p 1304

Baughn, T. V., and D. B. Johnson, *A Method for Quantitative Characterization of Flaws in Sheets by Use of Thermal-Response Data*, No. 7, p 850

Bednarski, J. (see Wolf, D.), No. 8, p 962

Bergander, M. J., *Flux Leakage Examination of Ferrous Heat Exchanger Tubing* (NDT Solution), No. 7, p 811

Blessing, G. V. (see Jones, M. P.), No. 7, p 859

Brahney, J. H., *Inspection and Repair of Composite Aerospace Structures*, No. 13, p 1513

Bray, D. E. (see Najm, M.), No. 4, p 463

Bryant, L. E., Jr. (see Mondy, L. A.), No. 1, p 120

Burkle, W. S., and B. K. Fraser, *Dry Powder Magnetic Particle Examination of Painted Welds Using an AC Yoke* (NDT Solution), No. 10, p 1156

Burns, D. J. (see Mahmoud, M. A. M.), No. 9, p 1125

Bussière, J. F., *On-Line Measurement of the Microstructure and Mechanical Properties of Steel*, No. 5, p 560

Casanova, E. J., *Some Important Basics in Radiography* (Back to Basics), No. 2, p 151

Cielo, P. (see Maldague, X.), No. 9, p 1120

_____, X. Maldague, S. Johar, and B. Lauzon, *Some Laser-Based Techniques for the Characterization of Sintered Ceramics*, No. 6, p 770

Close, E. R., *Making the Most of Lead Foil Screens* (Notes on Basics), No. 8, p 964

Damin, D. G. (see Strauss, B. M.), No. 9, p 1132

Danis, J. I., *Material Selection, Fabrication, and Inspection of Refinery Heat Exchangers*, No. 12, p 1409

Derby, R. W., *Identifying Saw Blades: A Good Application of Thermoelectric Sorting* (Notes on Basics), No. 8, p 965

Dick, P., *NDT Helps Productivity*, No. 8, p 915

Dijk: see van Dijk

Domanus, J. C., *Activities and Achievements of the Euratom Neutron Radiography Working Group*, No. 1, p 114

Dunavant, D. W., and D. F. Rosow, *A Program for Training and Hiring NDE Technicians* (Back to Basics), No. 11, p 1272

Easton, C. J., *Industrial Leak Detection Equipment* (Back to Basics), No. 4, p 389

Elsberry, R. T., and D. M. Bailey, *Characterization of Shielded Eddy Current Probes*, No. 8, p 984

Englebart, R. W., *Image Processing for Film Radiographs* (NDT Solution), No. 11, p 1293

Flaherty, J. J., *History of Penetrants: The First 20 Years, 1941–61* (NDT—The Yesteryears), No. 12, p 1371

Flax, A. H. (see Adam, J. A.), No. 11, p 1274

Fraser, B. K. (see Burkle, W. S.), No. 10, p 1156

Generazio, E. R., *Scaling Attenuation Data Characterizes Changes in Material Microstructure*, No. 2, p 198

_____, and D. J. Roth, *Quantitative Flaw Characterization with Scanning Laser Acoustic Microscopy*, No. 7, p 863

Geng, R. S., *Evaluation of Intrinsic Stresses of a Shape-Memory Alloy by Acoustic Emission*, No. 11, p 1340

Golladay, M. (see Adam, J. A.), No. 11, p 1274

Graham, A. L. (see Mondy, L. A.), No. 1, p 120

Green, R. E., Jr., *Introduction to Special Issue on Optical Generation and Detection of Ultrasonic Waves*, No. 10, p 1222

Grozellier, M. (see Baligand, B.), No. 5, p 577

Hagemaier, D. J., P. R. Abelkis, and M. B. Harmon, *Supplemental Inspections of Aging Aircraft*, No. 8, p 989

Harmon, M. B. (see Hagemaier, D. J.), No. 8, p 989

Harumi, K., *Computer Simulation of Ultrasonics in a Solid* (Plenary Presentation, 11th World Conference on Nondestructive Testing), No. 9, p 1086

Hellier, C., *Certification: A Perspective* (1985 Mehl Honor Lecture; Plenary Lecture, 11th World Conference on Nondestructive Testing), No. 4, p 412; erratum, No. 6, p 611

Hemsworth, B., *Inspection Proposals—A Regulatory View*, No. 8, p 1004

Hewitt, G. A. (see Mahmoud, M. A. M.), No. 9, p 1125

Holden, W. O., J. L. Rhoads-Roberts, and C. E. Moss, *Radiation Safety and Visual Enhancement in the Fluorescent Dye Penetrant Processes*, No. 12, p 1435

Héon, R. (see Monchalin, J.-P.), No. 10, p 1231

Hu, J. (see Hutchins, D.), No. 10, p 1244

Hutchins, D., J. Hu, and K. Lundgren, *A Comparison of Laser and EMAT Techniques for Noncontact Ultrasonics*, No. 10, p 1244

Iddings, F. A., *Radiographic Equivalents* (Back to Basics), No. 8, p 888

_____, *The Basics of Liquid Penetrant Testing* (Back to Basics), No. 12, p 1364

Jen, C. K. (see Maldague, X.), No. 9, p 1120

Johar, S. (see Cielo, P.), No. 6, p 770

Johnson, D. B. (see Baughn, T. V.), No. 7, p 850

Johnson, J. A. (see Watkins, A. D.), No. 13, p 1510

Jones, M. P., G. V. Blessing, and C. R. Robbins, *Dry-Coupled Ultrasonic Elasticity Measurements of Sintered Ceramics and Their Green States*, No. 7, p 859

Jones, T., *Mohawk College of Applied Arts and Technology* (Education Close-Up), No. 8, p 914

Joshi, N. R. (see Light, G. M.), No. 5, p 494

Kapelewski, F. (see Rudich, I.), No. 10, p 1158

Karagülle, H. (see Williams, J. H., Jr.) No. 1, p 100

_____, J. H. Williams, Jr., and S. S. Lee, *Stress Waves in Isotropic Elastic Plate Excited by Circular Transducer*, No. 4, p 455

Kasaburo Harumi: see Harumi, K.

Katzir, A., *Fiber Optics in Medicine*, No. 11, p 1282

Kessler, F. Agramonte, *Defect Detection in Electronic Components Using Real-Time Acoustic Microscopy* (NDT Solution), No. 6, p 626

Kiser, J. D. (see Roth, D. J.), No. 6, p 762

Klima, S. J. (see Roth, D. J.), No. 6, p 762

_____, *NDE of Advanced Ceramics*, No. 5, p 571

Kotzian B. (see Bagnell, M. J.), No. 13, p 1466

Kruzic, R. W., *Difficulties of Radiographic Evaluation of Inconel Welds Joining Dissimilar Metals*, No. 11, p 1336

_____, R. W., and C. N. Sherlock, *Erratum* (for "Technique for Producing Test Plates with Fine Tight Cracks" [Back to Basics], Vol. 43, No. 9, Aug. 1985, p 1044), No. 6, p 606

Kupperman, D. S. (see Sciammarella, C. A.), No. 13, p 1551

Kwun, H., *Nondestructive Measurement of Residual Bulk Stresses in Welded Steel Specimens by Use of Magnetically*

Induced Velocity Changes for Ultrasonic Waves, A, No. 13, p 1560
Lapides, M. E., *Radiographic In-Service Inspection of Cast Austenitic Nuclear Plant Components*, No. 1, p 108
Laura, P. A. A., *Evaluation of Structural Integrity of Cables Using Acoustic Emission* (NDT Solution), No. 1, p 38
Lauzon, B. (see Cielo, P.), No. 6, p 770
Lee, S. S. (see Karagülle, H.), No. 4, p 455
_____ (see Williams, J. H., Jr.), No. 1, p 100
Lesensky, L. (see Rudich, I.), No. 10, p 1158
Light, G. M., N. R. Joshi, and S.-N. Liu, *Cylindrically Guided Wave Technique for Inspection of Studs in Power Plants* (NDT Solution), No. 5, p 494
Liu, S.-N. (see Light, G. M.), No. 5, p 494
Lord, R. J., and M. S. Ruesing, *Coatings Used in Combat Aircraft* (Back to Basics), No. 9, p 1037
Lord, R. J., and P. J. Ramsey, *Reliable Nondestructive Testing: The Key to Using Weldments in Critical Fighter Aircraft Structure*, No. 2, p 209
Lucero, J. P. (see Mondy, L. A.), No. 1, p 120
Lundgren, K. (see Hutchins, D.), No. 10, p 1244
Mahmoud, M. A. M., G. A. Hewitt, and D. J. Burns, *Sizing of Planar Defects by Use of Double-Angle Ultrasonic Beams and Tip-Echo Times*, No. 9, p 1125
Maldague, X. (see Cielo, P.), No. 6, p 770
_____, P. Cielo, and C. K. Jen, *NDT Applications of Laser-Generated Focused Acoustic Waves*, No. 9, p 1120
Martin, B. G., *Modeling of Material Acoustic Properties by Use of Equivalent Multilayer Systems* (Technical Note), No. 9, p 1139
McMaster, R. C., *A Look Ahead at Nondestructive Testing* (Plenary Lecture, 11th World Conference on Nondestructive Testing), No. 5, p 520
Monchalin, J.-P., and R. Héon, *Laser Ultrasonic Generation and Optical Detection with a Confocal Fabry-Pérot Interferometer*, No. 10, p 1231
Mondy, L. A., A. L. Graham, L. E. Bryant, Jr., and J. P. Lucero, *Real-Time Radiography and Particle Dynamics in Optically Opaque Suspensions*, No. 1, p 120
Moore, P. O., *Ethan I. Dodds and Nondestructive Testing in the Age of Invention* (NDT—The Yesteryears), No. 1, p 44
_____, *The Preservation of NDT's Heritage: The NDT Community and Its Archives*, No. 13, p 1486
Mooz, W. E., and A. Swiatek, *Solutions to the Misuse and Abuse of Visible Penetrant Inspection*, No. 12, p 1387
Moss, C. E. (see Holden, W. O.), No. 12, p 1435
Moyer, M. C., *Magnetic Requirements for Oilfield Tubulars* (Back to Basics), No. 6, p 616
Murphy, J. C., and G. C. Wetsel, *Photothermal Methods of Optical Characterization of Materials*, No. 10, p 1224
Najm, M., and D. E. Bray, *Experimental Investigations of the Effect of Cold-Working on the Refraction of Head Waves in Railroad Rail*, No. 4, p 463
Nicholson, P. S. (see Stockman, A.), No. 6, p 756
Nir-El, Y., *New Information on Radiographic Equivalents* (Back to Basics), No. 13, p 1462
Norton, M. R., *The Founder of Industrial Radiography: Personal Notes on Horace H. Lester* (NDT—The Yesteryears), No. 4, p 408; see also *Horace H. Lester, Researcher* (Yesteryears Gallery), No. 11, p 1322
Paradis, L., Y. Serruys, and R. Saglio, *A Time-of-Flight Method for Crack Evaluation Using Focused Ultrasonic Probes*, No. 5, p 568
Paradis, L., Y. Serruys, and R. Saglio, *Ultrasonic Signal Processing for Thickness Measurements and Detection of Near-Surface Defects*, No. 11, p 1344
Posakony, G. J., *Experimental Analysis of Ultrasonic Responses from Artificial Defects*, No. 13, p 1567
Ramsey, P. J. (see Lord, R. J.), No. 2, p 209
Rhoads-Roberts, J. L. (see Holden, W. O.), No. 12, p 1435
Ries, T. (see Wolf, D.), No. 8, p 962
Roberts, J. L. Rhoads: see Rhoads-Roberts, J. L.
Robbins, C. R. (see Jones, M. P.), No. 7, p 859
Romy, D. (see Baligand, B.), No. 5, p 577
Rong S. Geng: see Geng, R. S.
Rosier, G. A., *Membership Dues—What They Do for ASNT and You*, No. 10, p 1196
Rosow, D. F. (see Dunavant, D. W.), No. 11, p 1272
Roth, D. J. (see Generazio, E. R.), No. 7, p 863
_____, S. J. Klima, J. D. Kiser, and G. Y. Baaklini, *Reliability of Void Detection in Structural Ceramics by Use of Scanning Laser Acoustic Microscopy*, No. 6, p 762
Rudich, I., L. Lesensky, and F. Kapelewski, *High-X-Ray Flux, High-Contrast Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures* (Back to Basics), No. 10, p 1158
Ruesing, M. S. (see Lord, R. J.), No. 9, p 1037
Rutherford, G. (see Singh, G. P.), No. 4, p 402
Saglio, R. (see Paradis, L.), No. 5, p 568
_____ (see Paradis, L.), No. 11, p 1344
Schmidt, J. T., *Management of Inspection Material Waste*, No. 12, p 1430
Schramm, R. E., and T. A. Siewart, *Production and Sizing of Uniform Two-Dimensional Flaws in Welds for NDE Calibration*, No. 9, p 1136
Sciammarella, C. A., and D. S. Kupperman, *Holographic Techniques for the Nondestructive Evaluation of Structural Ceramics*, No. 13, p 1551
Serruys, Y. (see Paradis, L.), No. 5, p 568
_____ (see Paradis, L.), No. 11, p 1344
Sherlock, C. N. (see Kruzic, R. W.), No. 6, p 606
Sherwin, A., *Penetrant System Performance Check* (Technical Note), No. 12, p 1443
Siewart, T. A. (see Schramm, R. E.), No. 9, p 1136
Simpson, W. A., Jr., *Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in Stainless Steel Welds*, No. 8, p 998
Singh, G. P., and G. Rutherford, *Corrosion/Erosion Detection Using B-Scan Imaging* (NDT Solution), No. 4, p 402
Smart, H. B. (see Watkins, A. D.), No. 13, p 1510
Smith, G. E., *Pursuing Personal Excellence in NDT* (Opinion Paper), No. 7, p 836
Squires, F. H., *Defects Are for Real*, No. 7, p 810
Stanley, R. K., *Circumferential Magnetization of Tubes and the Measurement of Flux Density in Such Materials* (Notes on Basics), No. 8, p 966
_____, *Training for the Nondestructive Inspection of Oilfield Tubular Products*, No. 10, p 1192
Stockman, A., and P. S. Nicholson, *Ultrasonic Characterization of Model Defects in Ceramics (Part 1): Voids in Glass—Theory and Practice*, No. 6, p 756
Strauss, B. M., and D. G. Damin, *Fault Tree Analysis—Two Case Histories*, No. 9, p 1132
Sullivan, S. (see Atherton, D. L.), No. 13, p 1544
Swan, L. K., *NDT Afloat: The Development of Nondestructive Testing at Newport News Shipbuilding* (NDT—The Yesteryears), No. 8, p 908
Swann, C., *Underwater Inspection at College of Oceaneering*, No. 4, p 424
Swiatek, A. (see Mooz, W. E.), No. 12, p 1387
Tonner, P. D., and G. Tosello, *Computed Tomography Scanning for Location and Sizing of Cavities in Valve Castings*, No. 2, p 203
Tosello, G. (see Tonner, P. D.), No. 2, p 203
van Dijk, G. M., *Nondestructive Testing in the Netherlands from 1982 to 1985* (Plenary Presentation, 11th World Conference on Nondestructive Testing), No. 8, p 970
Viaclovsky, S. A., *Built-Up Roof Inspection* (Notes on Basics), No. 8, p 962
Wagner, J. W., *High-Resolution Holographic Techniques for Visualization of Surface Acoustic Waves*, No. 10, p 1238
Watkins, A. D., J. A. Johnson, and H. B. Smart, *Economic Evaluation of Concurrent Welding and Nondestructive Testing*, No. 13, p 1510
Wenk, S. A., *Radiography in Quality Control*, No. 2, p 154

Wetsel, G. C. (see Murphy, J. C.), No. 10, p 1224
Whalley, B. G., *The Beginnings of Engineering Insurance and Inspection in Britain* (NDT—The Yesteryears), No. 6, p 628
Williams, J. H., Jr. (see Karagülle, H.), No. 4, p 455
———, H. Karagülle, and S. S. Lee, *Ultrasonic Testing of Plates Containing Edge Cracks*, No. 1, p 100
Wolf, D., J. Bednarski, and T. Ries, *Evaluation of Indications in Thread Roots by Use of Magnetic Rubber Inspection* (Notes on Basics), No. 8, p 962
Zolnay, A. S., *Radiation Interactions for Tomography* (Back to Basics), No. 1, p 24 Ω

Continued from page 1525

No. 13, p 1510
Weldments in Critical Fighter Aircraft Structure, Reliable Nondestructive Testing: The Key to Using, R. J. Lord and P. J. Ramsey, No. 2, p 209
Welds Joining Dissimilar Metals, Difficulties of Radiographic Evaluation of Inconel, R. W. Kruzic, No. 11, p 1336
Welds Using an AC Yoke, Dry Powder Magnetic Particle Examination of Painted (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156
Welds for NDE Calibration, Production and Sizing of Uniform Two-Dimensional Flaws in, R. E. Schramm and T. A. Siewart, No. 9, p 1136
Welds, Time-Domain Deconvolution: A New Technique to Improve Resolution for Ultrasonic Flaw Characterization in Stainless Steel, W. A. Simpson, Jr., No. 8, p 998
Working on the Refraction of Head Waves in Railroad Rail, Experimental Investigations of the Effect of Cold-, M. Najm and D. E. Bray, No. 4, p 463
X-Ray Flux, High-Contrast Radiography of Carbon Fiber-Reinforced Epoxy Aircraft Structures, High- (Back to Basics), I. Rudich, L. Lesensky, and F. Kapelewski, No. 10, p 1158
X-Radiograph- and *X-Ray*: see also *Radiation* and *Radiograph-*
Yoke, Dry Powder Magnetic Particle Examination of Painted Welds Using an AC (NDT Solution), W. S. Burkle and B. K. Fraser, No. 10, p 1156 Ω